Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	68	((transponder$2 or RFID or tag$2) near3 antenna) and ((hermetical or seal$2 or hermetically or closed) adj (closure$2 or enclosure$2 or housing or house$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 13:48
L6	299	((reader$2 or receiver$2 or RFID or tag$2) near3 antenna) and ((hermetical or seal$2 or hermetically or closed) adj (closure$2 or enclosure$2 or housing or house$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 14:21
L7	15	((reader$2 or receiver$2 or RFID or tag$2) near3 antenna) same ((hermetical or seal$2 or hermetically or closed) adj (closure$2 or enclosure$2 or housing or house$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 14:20
L18	4	((reader$2 or RFID or tag$2) near10 antenna) same ((hermetical or seal$2 or hermetically or closed) adj (closure$2 or enclosure$2 or housing or house$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 14:25
L19	289	(reader$2 or RFID or tag$2) same ((hermetical or seal$2 or hermetically or closed) adj (closure$2 or enclosure$2 or housing or house$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 14:28
L20	83	(reader$2) same ((hermetical or seal$2 or hermetically or closed) adj (closure$2 or enclosure$2 or housing or house$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 14:32
L21	1366	(reader$2 or receiver$2 or controller$2) same ((hermetical or seal$2 or hermetically or closed) adj (closure$2 or enclosure$2 or housing or house$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 14:33
L22	454	(reader$2 or receiver$2 or controller$2) with ((hermetical or seal$2 or hermetically or closed) adj (closure$2 or enclosure$2 or housing or house$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 14:33
S1	2	("20040099744").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 14:15
S2	288	((transponder$2 or RFID or tag$2) near3 antenna) and enclosure$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 15:06
S3	1	((transponder$2 or RFID or tag$2) near3 antenna) and (hermetical adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 11:34
S4	10	((transponder$2 or RFID or tag$2) near3 antenna) and ((hermetical or seal$2 or hermetically or closed) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/17 13:40

S5	1067	hamel.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 15:07
S6	0	hamel-michael.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 15:07
S7	46	hamel-m$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 15:08
S8	1	S7 and ((hermetical or seal$2 or hermetically or closed) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/09 15:08
S9	2	((transponder$2 or RFID or tag$2) near3 antenna) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 08:39
S10	24	((transponder$2 or RFID or tag$2) near10 antenna) and ((hermetical or seal$2 or hermetically or closed) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 08:41
S11	26	((transponder$2 or RFID or tag$2) near15 antenna) and ((hermetical or seal$2 or hermetically or closed) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 09:33
S12	30	((transponder$2 or RFID or tag$2) same antenna) and ((hermetical or seal$2 or hermetically or closed) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 08:44
S13	34	((transponder$2 or RFID or tag$2 or reader$2) same antenna) and ((hermetical or seal$2 or hermetically or closed) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 09:33
S14	414	((transponder$2 or RFID or tag$2 or reader$2 or receiver$2) same antenna) and ((hermetical or seal$2 or hermetically or closed) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 08:45
S16	15	S13 and coil$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 09:16
S17	48	((transponder$2 or RFID or tag$2 or reader$2) same antenna) and ((hermetical or seal$2 or hermetically or closed or metallic) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:38
S18	16	340/572.$.ccls. and ((hermetical or seal$2 or hermetically or closed or metallic) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 10:20

S19	9	340/539.1$.ccls. and ((hermetical or seal$2 or hermetically or closed or metallic) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:44
S20	6	(("6622567") or ("6433629") or ("6529127")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/10 11:06
S21	0	S20 and ((hermetical or seal$2 or hermetically or closed or metallic) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 11:06
S22	0	S20 and coil and (air-gap or air adj gap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 11:07
S23	3	S20 and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 11:07
S24	289	340/10.3$.ccls. and (carrier or carrier-frequency or carrier adj frequency) and modulat$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:47
S25	289	340/10.3$.ccls. and (carrier or carrier-frequency or (carrier adj frequency)) and modulat$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:41
S26	158	340/10.3$.ccls. and (carrier-frequency or (carrier adj frequency)) and modulat$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:41
S27	349	"l14" and resonance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:42
S28	2628	"l4" and resonance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:42
S29	40	S26 and resonance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:42
S30	26	S26 and (resonance-frequency or (resonance adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:46
S31	36	S25 and (resonance-frequency or (resonance adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:47

S32	0	S31 and ((hermetical or seal$2 or hermetically or closed or metallic) adj (closure or enclosure$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/10 16:44
S33	226	340/10.3$.ccls. and ((carrier or carrier-frequency or carrier adj frequency) near15 modulat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:39
S34	220	340/10.3$.ccls. and ((carrier or carrier-frequency or carrier adj frequency) near10 modulat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:39
S35	27	S33 and (resonance-frequency or (resonance adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:38
S36	4230	"340"/$.ccls. and percent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:35
S37	4	340/10.3$.ccls. and ((carrier or carrier-frequency or carrier adj frequency) near15 modulat$5) and ("%" or percent%4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:43
S38	1	"340"/$.ccls. and (((carrier or carrier-frequency or carrier adj frequency) near15 modulat$5) and (resonance-frequency or (resonance adj frequency))) same("%" or percent%4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:48
S39	0	"340"/$.ccls. and ((carrier or carrier-frequency or (carrier adj frequency)) near15 (resonance-frequency or (resonance adj frequency))) same("%" or percent%4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:50
S40	0	"340"/$.ccls. and ((carrier or carrier-frequency or (carrier adj frequency)) near15 (resonance-frequency or (resonance adj frequency))) same ("%" or percent%4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:50
S41	3	"340"/$.ccls. and ((carrier or carrier-frequency or (carrier adj frequency)) near15 (resonance-frequency or (resonance adj frequency))) and ("%" or percent%4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 16:50
S42	18345	((antenna$2 or coil$2) near8 rectangular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 11:35
S43	15802	(antenna$2 or coil$2) same (rectangular near4 (cross section or (cross adj section)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:17
S44	384	S43 and (transponder$2 or RFID or tag$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 11:38

S45	5645	(antenna$2 or coil$2) with (rectangular near4 (cross section or (cross adj section)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 11:42
S46	98	S45 and (transponder$2 or RFID or tag$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 11:43
S47	3897	(antenna$2 or coil$2) with (rectangular near4 (cross-section or (cross adj section)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 11:43
S48	61	S47 and (transponder$2 or RFID or tag$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:10
S49	33	S48 and metal$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 14:56
S50	0	("EP1288016").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:18
S51	8	("1288016").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:17
S52	0	S51 and ((antenna$2 or coil$2) same (rectangular near4 (cross section or (cross adj section))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:20
S53	0	S51 and metallic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:18
S54	0	S51 and rectangular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:20
S55	0	("5515303and(metal$4near3plate)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/16 14:53
S56	1	"5515303".pn. and (metal$4 near3 plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 14:53
S57	3897	(antenna$2 or coil$2) with (rectangular near4 (cross-section or (cross adj section)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 14:56

S58	61	S57 and (transponder$2 or RFID or tag$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 14:56
S59	30	S58 and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 14:57